

BOHEMIA



LUMINARIA DE ALUMBRADO CLÁSICO Y TRADICIONAL, ESPECIALMENTE CONCEBIDA PARA ENTORNOS ANTIGUOS TALES COMO CASCOS VIEJOS Y CENTROS HISTÓRICOS.

SU ÓPTICA ASIMÉTRICA INCORPORADA EN SU INTERIOR, PERMITE UN ELEVADO RENDIMIENTO LUMÍNICO DEL APARATO, A LA VEZ QUE REDUCE LOS EFECTOS DE LA CONTAMINACIÓN LUMÍNICA.

LA FOTOMETRÍA DE LA VERSIÓN LED, HA SIDO ESTUDIADA PARA DAR EL MÁXIMO RENDIMIENTO EVITANDO LA PROYECCIÓN DE SOMBRAS.

DESCRIPCIÓN

Cuerpo: Inyección de aluminio.

Bloque óptico: Reflector de aluminio anodizado y cierre de vidrio templado plano.

Fijación: ¾ GAS o Ø 60 mm.

Pletina portaequipos: Chapa de acero bicromatado.

Acabados: Color negro forja pintado al horno.

CLASSICAL AND TRADITIONAL LIGHTING, DESIGNED SPECIALLY FOR OLD ENVIRONMENTS SUCH AS OLD QUARTERS AND HISTORIC DISTRICTS.

IT HAS ASYMMETRIC OPTICS INSIDE, WHICH PROVIDES HIGH LIGHTING PERFORMANCE AND REDUCES THE EFFECTS OF LIGHT POLLUTION.

THE PHOTOMETRY OF THE LED VERSION, HAS BEEN DESIGNED FOR MAXIMUM EFFICIENCY AVOIDING CASTING SHADOWS.

DESCRIPTION

Body: Die-cast aluminium.

Optical assembly: Anodised aluminium reflector and flat tempered glass cover.


Clamping: ¾ GAS sleeve or Ø 60 mm coupling.

Base plate: Double chromed steel plate.

Finishes: Black forge, baked-on paint.



BOHEMIA



URBANO DECORATIVO / RESIDENCIAL AMBIENTAL /
URBAN DECORATIVE / RESIDENCIAL ENVIROMENTAL

CARACTERÍSTICAS TÉCNICAS / TECHNICAL CHARACTERISTICS

Índices de protección de la luminaria /

Protection degrees of the luminaire: IP-64

Índices de protección del bloque óptico /

Protection degrees of the optical assembly: IP-66, IK08

Fijación luminaria / **Luminaire clamping:** ¾ gas o Ø 60 mm

Altura de montaje / **Assembling height:** 3 - 5 m

BOHEMIA LED:

Tensión de entrada / **Supply voltage:** 100-240W

Potencia LED / **Led power:** 50W

Eficiencia luminosa LED / **Average lumen/watt:** 100 lm/W

Temperatura de color / **Color temperature:** 4.100 K

Potencia de 1 LED / **1 Led power:** 36 x 1,3W

Vida del LED / **Lifetime:** >50.000 h

BOHEMIA VSAP- HM / HPS - MH :

Lámpara / **Lamps:**

VSAP / **HPS :** 70, 100, 150 W

HM / **MH :** 70, 100, 150 W

Portalámparas / **Lampholder:** E27/E40

Equipos eléctricos incluidos / **Electrical equipment including:**

VOSSLOH/ ELT: Extensión de garantía a 3 años /

Warranty extension 3 years.

